


CUBE HYPER



CUBE+ HYPER




OMNIA® LED TECHNOLOGY
The special Hyper version is equipped with **Omnia® LED Technology**. Floodlights are installed on a fully adjustable bracket allowing the operator to point the floodlights in any direction and provide total 360 illumination. Floodlights are also available with anti-glare system.



DIGITAL CONTROLLER
A digital controller specifically designed exclusively for our Generac lighting towers. Every function of the machine can be controlled and managed from a single digital panel.

TOP ACCESSIBILITY

Three doors for wide access and two compass-top doors with gull wing design provide complete access to the engine for safe and convenient maintenance. Single back door provides access to the control panel.



The **V20 HYPER** lamps can be equipped with anti-glare shells. The anti-glare floodlights are a perfect solution for roadworks and other applications where there is a risk of glaring workers and passers-by.

TECHNICAL DATA		CUBE+ HYPER Y	CUBE+ HYPER P	CUBE+ HYPER K
Lifting system	-	Hydraulic	Hydraulic	Hydraulic
Min. dim.	cm	1220 x 1150 x 2420	1220 x 1150 x 2420	1200 x 1150 x 2420
Max. dim.	cm	1790 x 1740 x 8400	1790 x 1740 x 8400	1790 x 1740 x 8400
Dry weight	kg	1070	1070	1070
Lamps power	W	4 x 320	4 x 320	4 x 320
Lamps type	-	LED	LED	LED
Certified illuminated area	m ²	4,200	4,200	4,200
Total lumen	Lm	184,000	184,000	184,000
Mast rotation	°	340	340	340
Wind speed resistance	km/h	80	80	80
Tank capacity	liter	170	170	170
Engine model	-	Yanmar 3TN 3 cyl. @1500/1800 rpm	Perkins 403D-11 3 cyl. @1500/1800 rpm	Kubota D1105 3 cyl. @1500/1800 rpm
Engine cooling	W=Water/A=Air	W	W	W
Alternator	kVA/V/Hz	8/220/50 - 8/240/60	8/220/50 - 8/240/60	8/220/50 - 8/240/60
Outlet socket	kVA/V/Hz	3/220/50 - 3/240/60	3/220/50 - 3/240/60	3/220/50 - 3/240/60
Inlet plug	A/V/Hz	16/220/50 - 16/240/60	16/220/50 - 16/240/60	16/220/50 - 16/240/60
Running time	h	106	91	100
Avg. sound pressure level	dB(A) @ 7m	63	63	63

GENERAC® | **MOBILE PRODUCTS**

Generac Mobile Products Srl
Part of Generac Power Systems, Inc.
Via Stazione, 3bis - 27030 Villanova d'Ardenghi (PV) - Italy
Tel +39 0382 567011 - gmp.srl@generac.com
www.towerlight.com | www.generacmobileproducts.com