




V20 HYPER





OMNIA® LED TECHNOLOGY

The special Hyper version is equipped with **Omnia® LED Technology**. Floodlights are installed on a fully adjustable bracket allowing the operator to point the floodlights in any direction and provide total 360 illumination. Floodlights are also available with anti-glare system.




DIGITAL CONTROLLER

A digital controller specifically designed exclusively for our Generac lighting towers. Every function of the machine can be controlled and managed from a single digital panel.

LONG RUNNING TIME

Thanks to the V20's fuel saving features such as the small engine and LED lamps, this model can run up to 167 hours without refuelling.



Standard

Anti-glare

The **V20 HYPER** lamps can be equipped with anti-glare shells. The anti-glare floodlights are a perfect solution for roadworks and other applications where there is a risk of glaring workers and passers-by.

TECHNICAL DATA

V20 HYPER K2

Lifting system	-	Hydraulic
Min. dim.	cm	2200 x 1400 x 2440
Max. dim.	cm	2200 x 1850 x 8500
Dry weight	kg	980
Lamps power	W	4 x 320
Lamps type	-	LED
Certified illuminated area	m ²	4,200
Total lumen	Lm	184,000
Mast rotation	°	340
Certified wind speed resistance	km/h	110
Tank capacity	liter	110
Engine model	-	Kubota Z482
Engine cooling	W=Water/A=Air	2 cyl. @1500/1800 rpm
Alternator	kVA/V/Hz	W
Outlet socket	kVA/V/Hz	5/220/50 - 5/240/60
Inlet plug	A/V/Hz	2/220/50 - 2/240/60
Running time	h	16/220/50 - 16/240/60
Avg. sound pressure level	dB(A) @ 7m	167
Trailers available	-	58
		Road trailer or site-tow trailer

GENERAC® | **MOBILE PRODUCTS**

Generac Mobile Products Srl

Part of Generac Power Systems, Inc.

Via Stazione, 3bis - 27030 Villanova d'Ardenghi (PV) - Italy

Tel +39 0382 567011 - gmp.srl@generac.com

www.towerlight.com | www.generacmobileproducts.com